



**Import of plant products and seeds from Third countries -  
Additional declarations on phytosanitary certificates**

**FRUITS**

genus	origin	citation of EU-Directive 2000/29/EG	text of the citation of EU-Directive 2000/29/EG	notes
<i>Citrus, Fortunella, Poncirus</i>	Third countries	Annex IV A I, 16.2. (a) <b>or</b> Annex IV A I, 16.2. (b) <b>or</b> Annex IV A I, 16.2. (c) <b>AND</b> Annex IV A I, 16.3. (a) <b>or</b> Annex IV A I, 16.3. (b) <b>or</b> Annex IV A I, 16.3. (c)	<b>(a)</b> The fruits originate in a country recognised as being free from <i>Xanthomonas campestris</i> (all strains pathogenic to Citrus) <b>or</b> <b>(b)</b> The fruits originate in an area recognised as being free from <i>Xanthomonas campestris</i> (all strains pathogenic to Citrus) <b>or</b> <b>(c)</b> No symptoms of <i>Xanthomonas campestris</i> (all strains pathogenic to Citrus) have been observed in the field of production and in its immediate vicinity since the beginning of the last cycle of vegetation <b>AND</b> none of the fruits harvested in the field of production has shown symptoms of <i>Xanthomonas campestris</i> (all strains pathogenic to Citrus) <b>AND</b> the fruits have been subjected to treatment such as sodium orthophenylphenate <b>AND</b> the fruits have been packed at premises or dispatching centres registered for this purpose. <b>AND</b> <b>(a)</b> The fruits originate in a country recognised as being free from <i>Cercospora angolensis</i> <b>or</b> <b>(b)</b> The fruits originate in an area recognised as being free from <i>Cercospora angolensis</i> <b>or</b> <b>(c)</b> No symptoms of <i>Cercospora angolensis</i> have been observed in the field of production and in its immediate vicinity since the beginning of the last cycle of vegetation <b>AND</b> none of the fruits harvested in the field of production has shown symptoms of <i>Cercospora angolensis</i> .	



<p><i>Citrus, Fortunella, Poncirus</i></p>	<p>Third countries</p>	<p>Annex IV A I, 16.4. (a) <b>or</b> Annex IV A I, 16.4. (b) <b>or</b> Annex IV A I, 16.4. (c) <b>or</b> Annex IV A I, 16.4. (d)</p>	<p><b>(a)</b> The fruits originate in a country recognised as being free from <i>Guignardia citricarpa</i> (all strains pathogenic to Citrus) <b>or</b> <b>(b)</b> The fruits originate in an area recognised as being free from <i>Guignardia citricarpa</i> (all strains pathogenic to Citrus) <b>or</b> <b>(c)</b> No symptoms of <i>Guignardia citricarpa</i> (all strains pathogenic to Citrus) have been observed in the field of production and in its immediate vicinity since the beginning of the last cycle of vegetation <u>AND</u> none of the fruits harvested in the field of production has shown symptoms of <i>Guignardia citricarpa</i> (all strains pathogenic to Citrus) <b>or</b> <b>(d)</b> The fruits originate in a field of production subjected to appropriate treatments against <i>Guignardia citricarpa</i> (all strains pathogenic to Citrus) <u>AND</u> none of the fruits harvested in the field of production has shown symptoms of <i>Guignardia citricarpa</i> (all strains pathogenic to Citrus)</p>	<p>except fruits of <i>Citrus aurantium</i></p>
<p><i>Citrus, Fortunella, Poncirus</i></p>	<p>Third countries, where <i>Tephritidae</i> (non-European) are known to occur on these fruits</p>	<p>Annex IV A I, 16.5. (a) <b>or</b> Annex IV A I, 16.5. (b) <b>or</b> Annex IV A I, 16.5. (c) <b>or</b> Annex IV A I, 16.5. (d)</p>	<p><b>(a)</b> The fruits originate in areas known to be free from <i>Tephritidae</i> <b>or</b> <b>(b)</b> No signs of <i>Tephritidae</i> have been observed at the place of production and in its immediate vicinity since the beginning of the last complete cycle of vegetation , on official inspections carried out at least monthly during the three months prior to harvesting <u>AND</u> none of the fruits harvested at the place of production has shown signs of <i>Tephritidae</i> <b>or</b> <b>(c)</b> The fruits have shown, in appropriate official examination on representative samples, to be free from <i>Tephritidae</i> in all stages of their development <b>or</b> <b>(d)</b> The fruits have been subjected to an appropriate treatment.</p>	



<i>Citrus, Fortunella, Poncirus</i>	Brasilia	Decision 2004/416/EC Annex 1 a) <b>or</b> Annex 1 b)	<b>1a)</b> The fruits originate in an area recognised as being free from <i>Xanthomonas campestris</i> (all strains pathogenic for Citrus) and mentioned on the phytosanitary certificate <b>or</b> <b>1b)</b> No symptoms of <i>Xanthomonas campestris</i> (all strains pathogenic for Citrus) have been observed in the place of production since the beginning of the last cycle of vegetation <u>AND</u> in accordance with an official control the fruits harvested in the place of production are free from <i>Xanthomonas campestris</i> (all strains pathogenic for Citrus) <u>AND</u> the fruits have been subjected to treatment such as sodium orthophenylphenate and mentioned on the phytosanitary certificate <u>AND</u> the place of production, the packing facilities, exporters and any other operator involved in the handling of the fruits are officially registered for this purpose.	
<i>Citrus, Fortunella, Poncirus</i>	Brasilia	Decision 2004/416/EC Annex 2 a) <b>or</b> Annex 2 b)	<b>2a)</b> The fruits originate in an area recognised as being free from <i>Guignardia citricarpa</i> (all strains pathogenic for Citrus) and mentioned on the phytosanitary certificate <b>or</b> <b>2b)</b> No symptoms of <i>Guignardia citricarpa</i> (all strains pathogenic for Citrus) have been observed in the place of production since the beginning of the last cycle of vegetation and none of the fruits harvested in the place of production has shown symptoms of <i>Guignardia citricarpa</i> (all strains pathogenic for Citrus) <u>AND</u> the place of production, the packing facilities, exporters and any other operator involved in the handling of the fruits are officially registered for this purpose.	except fruits of <i>Citrus aurantium</i>
<i>Prunus</i>	Non-European countries	Annex IV A I, 16., first indent <b>or</b> Annex IV A I, 16., second indent <b>or</b> Annex IV A I, 16., third indent	- The fruits originate in a country known to be free from <i>Monilinia fructicola</i> <b>or</b> - The fruits originate in an area recognised as being free from <i>Monilinia fructicola</i> <b>or</b> - The fruits have been subjected to appropriate inspection and treatment procedures prior to harvest and/or export to ensure freedom from <i>Monilinia fructicola</i>	from 15. Feb. to 30. Sept.

**In case of treatment, this has to be specified in the rubric "disinfestation".**



## VEGETABLES

genus / species	origin	citation of EU-Directive 2000/29/EG	text of the citation of EU-Directive 2000/29/EG	notes
<i>Apium graveolens</i>	Third countries	Annex IV A I, 32.2., first indent <b>or</b> Annex IV A I, 32.2., second indent	- The leafy vegetable originates in a country free from <i>Liriomyza sativae</i> and <i>Amauromyza maculosa</i> <b>or</b> - Immediately prior to the export the leafy vegetable has been officially inspected and found free from <i>Liriomyza sativae</i> and <i>Amauromyza maculosa</i>	leafy vegetable
<i>Momordica</i>	Third countries	Annex IV A I, 36.2., first indent <b>or</b> Annex IV A I, 36.2., second indent	- The fruits originate in a country free from <i>Thrips palmi</i> <b>or</b> - Immediately prior to their export the fruits have been officially inspected and found free from <i>Thrips palmi</i>	fruits
<i>Ocimum</i>	Third countries	Annex IV A I, 32.2., first indent <b>or</b> Annex IV A I, 32.2., second indent	- The leafy vegetable originates in a country free from <i>Liriomyza sativae</i> and <i>Amauromyza maculosa</i> <b>or</b> - Immediately prior to the export the leafy vegetable has been officially inspected and found free from <i>Liriomyza sativae</i> and <i>Amauromyza maculosa</i>	leafy vegetable
	Non-European countries	Annex IV A I, 45.2., first indent <b>or</b> Annex IV A I, 45.2., second indent	- The leafy vegetable originates in a country free from <i>Bemisia tabaci</i> (non-european populations) <b>or</b> - Immediately prior to the export the leafy vegetable has been officially inspected and found free from <i>Bemisia tabaci</i> (non-european populations)	
<i>Solanum melongena</i>	Third countries	Annex IV A I, 36.2., first indent <b>or</b> Annex IV A I, 36.2., second indent	- The fruits originate in a country free from <i>Thrips palmi</i> <b>or</b> - Immediately prior to their export the fruits have been officially inspected and found free from <i>Thrips palmi</i>	fruits



**CUT FLOWERS AND PARTS OF PLANTS (e.g. leaves, buds, flowers, stems)**

genus	origin	citation of EU-Directive 2000/29/EG	text of the citation of EU-Directive 2000/29/EG	notes
<i>Aster</i> spp.	Non-European countries	Annex IV A I, 45.2., first indent <b>or</b> Annex IV A I, 45.2., second Indent	- The cut flowers originate in a country free from <i>Bemisia tabaci</i> (non-european populations) <b>or</b> - Immediately prior to the export the cut flowers have been officially inspected and found free from <i>Bemisia tabaci</i> (non-european populations)	cut flowers
<i>Dendranthema</i>	Third countries	Annex IV A I, 32.2., first Indent <b>or</b> Annex IV A I, 32.2., second Indent <b>AND</b> Annex IV A I, 27.2. (a) <b>or</b> Annex IV A I, 27.2. (b)	- The cut flowers originate in a country free from <i>Liriomyza sativae</i> and <i>Amauromyza maculosa</i> <b>or</b> - Immediately prior to the export the cut flowers have been officially inspected and found free from <i>Liriomyza sativae</i> and <i>Amauromyza maculosa</i> <b>AND</b> <b>(a)</b> No signs of <i>Spodoptera eridania</i> , <i>Spodoptera frugiperda</i> or <i>Spodoptera litura</i> have been observed at the place of production since the beginning of the last cycle of vegetation <b>or</b> <b>(b)</b> The plants have undergone appropriate treatment to protect them from <i>Spodoptera eridiana</i> , <i>Spodoptera frugiperda</i> and <i>Spodoptera litura</i> .	cut flowers
		Annex IV A I, 27.2. (a) <b>or</b> Annex IV A I, 27.2. (b)	<b>(a)</b> No signs of <i>Spodoptera eridania</i> , <i>Spodoptera frugiperda</i> or <i>Spodoptera litura</i> have been observed at the place of production since the beginning of the last cycle of vegetation <b>or</b> <b>(b)</b> The plants have undergone appropriate treatment to protect them from <i>Spodoptera eridiana</i> , <i>Spodoptera frugiperda</i> and <i>Spodoptera litura</i> .	parts of plants



Dianthus	Third countries	Annex IV A I, 32.2., first indent <b>or</b> Annex IV A I, 32.2., second indent <b>AND</b> Annex IV A I, 27.2. (a) <b>or</b> Annex IV A I, 27.2. (b)	- The cut flowers originate in a country free from <i>Liriomyza sativae</i> and <i>Amauromyza maculosa</i> <b>or</b> - Immediately prior to the export the cut flowers have been officially inspected and found free from <i>Liriomyza sativae</i> and <i>Amauromyza maculosa</i> <b>AND</b> <b>(a)</b> No signs of <i>Spodoptera eridania</i> , <i>Spodoptera frugiperda</i> or <i>Spodoptera litura</i> have been observed at the place of production since the beginning of the last cycle of vegetation <b>or</b> <b>(b)</b> The plants have undergone appropriate treatment to protect them from <i>Spodoptera eridiana</i> , <i>Spodoptera frugiperda</i> and <i>Spodoptera litura</i> .	cut flowers
		Annex IV A I, 27.2. (a) <b>or</b> Annex IV A I, 27.2. (b)	<b>(a)</b> No signs of <i>Spodoptera eridania</i> , <i>Spodoptera frugiperda</i> or <i>Spodoptera litura</i> have been observed at the place of production since the beginning of the last cycle of vegetation <b>or</b> <b>(b)</b> The plants have undergone appropriate treatment to protect them from <i>Spodoptera eridiana</i> , <i>Spodoptera frugiperda</i> and <i>Spodoptera litura</i> .	parts of plants
Eryngium	Non-European countries	Annex IV A I, 45.2., first indent <b>or</b> Annex IV A I, 45.2., second indent	- The cut flowers originate in a country free from <i>Bemisia tabaci</i> (non-european populations) <b>or</b> - Immediately prior to the export the cut flowers have been officially inspected and found free from <i>Bemisia tabaci</i> (non-european populations)	cut flowers
Gypsophila	Third countries	Annex IV A I, 32.2., first indent <b>or</b> Annex IV A I, 32.2., second indent	- The cut flowers originate in a country free from <i>Liriomyza sativae</i> and <i>Amauromyza maculosa</i> <b>or</b> - Immediately prior to the export the cut flowers have been officially inspected and found free from <i>Liriomyza sativae</i> and <i>Amauromyza maculosa</i>	cut flowers
	Non-European countries	Annex IV A I, 45.2., first indent <b>or</b> Annex IV A I, 45.2., second Indent	- The cut flowers originate in a country free from <i>Bemisia tabaci</i> (non-european populations) <b>or</b> - Immediately prior to the export the cut flowers have been officially inspected and found free from <i>Bemisia tabaci</i> (non-european populations)	



<i>Hypericum</i>	Non-European countries	Annex IV A I, 45.2., first indent <b>or</b> Annex IV A I, 45.2., second indent	- The cut flowers originate in a country free from <i>Bemisia tabaci</i> (non-european populations) <b>or</b> - Immediately prior to the export the cut flowers have been officially inspected and found free from <i>Bemisia tabaci</i> (non-european populations)	cut flowers
<i>Lisianthus</i> (syn. <i>Eustoma</i> )	Non-European countries	Annex IV A I, 45.2., first indent <b>or</b> Annex IV A I, 45.2., second indent	- The cut flowers originate in a country free from <i>Bemisia tabaci</i> (non-european populations) <b>or</b> - Immediately prior to the export the cut flowers have been officially inspected and found free from <i>Bemisia tabaci</i> (non-european populations)	cut flowers
<i>Orchidaceae</i>	Third countries	Annex IV A I, 36.2. first indent <b>or</b> Annex IV A I, 36.2. second indent	- The cut flowers originate in a country free from <i>Thrips palmi</i> <b>or</b> - Immediately prior to their export the cut flowers have been officially inspected and found free from <i>Thrips palmi</i>	cut flowers
<i>Pelargonium</i>	Third countries	Annex IV A I, 27.2. (a) <b>or</b> Annex IV A I, 27.2. (b)	<b>(a)</b> No signs of <i>Spodoptera eridania</i> , <i>Spodoptera frugiperda</i> or <i>Spodoptera litura</i> have been observed at the place of production since the beginning of the last cycle of vegetation <b>or</b> <b>(b)</b> The plants have undergone appropriate treatment to protect them from <i>Spodoptera eridiana</i> , <i>Spodoptera frugiperda</i> and <i>Spodoptera litura</i> .	parts of plants
<i>Rosa</i>	Non-European countries	Annex IV A I, 45.2., first indent <b>or</b> Annex IV A I, 45.2., second indent	- The cut flowers originate in a country free from <i>Bemisia tabaci</i> (non-european populations) <b>or</b> - Immediately prior to the export the cut flowers have been officially inspected and found free from <i>Bemisia tabaci</i> (non-european populations)	cut flowers



<i>Solidago</i>	Third countries	Annex IV A I, 32.2., first indent <b>or</b> Annex IV A I, 32.2., second indent	- The cut flowers originate in a country free from <i>Liriomyza sativae</i> and <i>Amauromyza maculosa</i> <b>or</b> - Immediately prior to the export the cut flowers have been officially inspected and found free from <i>Liriomyza sativae</i> and <i>Amauromyza maculosa</i>	cut flowers
	Non-European countries	Annex IV A I, 45.2., first indent <b>or</b> Annex IV A I, 45.2., second indent	- The cut flowers originate in a country free from <i>Bemisia tabaci</i> (non-european populations) <b>or</b> - Immediately prior to the export the cut flowers have been officially inspected and found free from <i>Bemisia tabaci</i> (non-european populations)	
<i>Trachelium</i>	Non-European countries	Annex IV A I, 45.2., first indent <b>or</b> Annex IV A I, 45.2., second indent	- The cut flowers originate in a country free from <i>Bemisia tabaci</i> (non-european populations) <b>or</b> - Immediately prior to the export the cut flowers have been officially inspected and found free from <i>Bemisia tabaci</i> (non-european populations)	cut flowers

**In case of treatment, this has to be specified in the rubric "disinfestation".**



**SEEDS**

genus / species	origin	citation of EU-Directive 2000/29/EG	text of the citation of EU-Directive 2000/29/EG	notes
<i>Helianthus annuus</i>	Third countries	Annex IV A I, 47. (a) <b>or</b> Annex IV A I, 47. (b)	<b>(a)</b> The seeds originate in areas known to be free from <i>Plasmopara halstedii</i> <b>or</b> <b>(b)</b> The seeds, other than those seeds that have been produced on varieties resistant to all races of <i>Plasmopara halstedii</i> present in the area of production, have been subjected to an appropriate treatment against <i>Plasmopara halstedii</i> .	
<i>Lycopersicon lycopersicum</i>	Third countries	Annex IV A I, 48. (a) <b>or</b> Annex IV A I, 48. (b) <b>or</b> Annex IV A I, 48. (c) <b>AND</b> EU-Decision 2004/200/EG, Annex, 1 a) <b>or</b> 2004/200/EG, Annex, 1 b) <b>or</b> 2004/200/EG, Annex, 1 c)	<b>(a)</b> The seeds originate in areas where <i>Clavibacter michiganensis</i> ssp. <i>michiganensis</i> , <i>Xanthomonas campestris</i> pv. <i>vesicatoria</i> and Potato spindle tuber are not known to occur <b>or</b> <b>(b)</b> No symptoms of diseases caused by <i>Clavibacter michiganensis</i> ssp. <i>michiganensis</i> , <i>Xanthomonas campestris</i> pv. <i>vesicatoria</i> and Potato spindle tuber viroid have been observed on the plants at the place of production during their complete cycle of vegetation <b>or</b> <b>(c)</b> The seeds have been subjected to official testing for at least <i>Clavibacter michiganensis</i> ssp. <i>michiganensis</i> , <i>Xanthomonas campestris</i> pv. <i>vesicatoria</i> and Potato spindle tuber viroid on a representative sample and using appropriate methods, and have been found, in these tests, free from those harmful organisms. <b>AND</b> <b>Annex 1a)</b> The seeds originate in areas in which Pepino mosaic virus is known not to occur <b>or</b> <b>Annex 1b)</b> No symptoms of Pepino mosaic virus have been observed on the plants at the place of production during their last complete cycle of vegetation <b>or</b> <b>Annex 1c)</b> The seeds have undergone official testing for Pepino mosaic virus, on a representative sample and using appropriate methods, and have been found, in these tests, free from Pepino mosaic virus.	



<i>Medicago sativa</i>	Third countries	Annex IV A I, 49.1.(a) <b>or</b> Annex IV A I, 49.1.(b) <b>AND</b> Annex IV A I, 49.2. (b), first indent <b>or</b> Annex IV A I, 49.2. (b), second indent <b>or</b> Annex IV A I, 49.2. (b), third indent	<b>(a)</b> No symptoms of <i>Ditylenchus dipsaci</i> have been observed at the place of production since the beginning of the last complete cycle of vegetation and no <i>Ditylenchus dipsaci</i> has been revealed by laboratory tests on a representative sample <b>or</b> <b>(b)</b> Fumigation has taken place prior to export. <b>AND</b> - The crop belongs to a variety recognised as being highly resistant to <i>Clavibacter michiganensis</i> ssp. <i>insidiosus</i> <b>or</b> - It had not yet started its 4 <sup>th</sup> complete cycle of vegetation from sowing when the seed was harvested and there was not more than one preceding seed harvest from the crop <b>or</b> - The content of inert matter which has been determined does not exceed 0,1% per weight	
<i>Oryza sativa</i>	Third countries	Annex IV A I, 50. (a) <b>or</b> Annex IV A I, 50. (b)	<b>(a)</b> The seeds have been officially tested by appropriate nematological tests and have been found free from <i>Aphelenchoides besseyi</i> <b>or</b> <b>(b)</b> The seeds have been subjected to an appropriate hot water treatment or other appropriate treatment against <i>Aphelenchoides besseyi</i>	
<i>Phaseolus</i>	Third countries	Annex IV A I, 51. (a) <b>or</b> Annex IV A I, 51. (b)	<b>(a)</b> The seeds originate in areas known to be free from <i>Xanthomonas campestris</i> pv. <i>phaseoli</i> <b>or</b> <b>(b)</b> A representative sample of the seeds has been tested and found free from <i>Xanthomonas campestris</i> pv. <i>phaseoli</i> in these tests.	
<i>Prunus</i>	countries where Tomato ringspot virus is known to occur on <i>Prunus</i>	Annex IV A I, 23.2. (a), first indent <b>or</b> Annex IV A I, 23.2. (a), second indent	- The plants have been officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and subjected to official testing for at least Tomato ringspot virus and has been found free, in these tests, from Tomato ringspot virus <b>or</b> - The plants have been derived in direct line from material which is maintained under appropriate conditions and has been subjected, within the last three complete cycles of vegetation, at least once, to official testing for at least Tomato ringspot virus and has been found free, in these tests, from Tomato ringspot virus.	



<i>Rubus</i>	countries where Tomato ringspot virus, Black raspberry latent virus, Cherry leaf roll virus and Prunus necrotic ringspot virus are known to occur on <i>Rubus</i>	Annex IV A I, 24.(b) (aa), first indent <b>or</b> Annex IV A I, 24.(b) (aa), second indent	- The plants have been officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and subjected to official testing for at least Tomato ringspot virus, Black raspberry latent virus, Cherry leaf roll virus and Prunus necrotic ringspot virus and has been found free, in these tests, from those harmful organisms <b>or</b> - The plants have been derived in direct line from material which is maintained under appropriate conditions and has been subjected, within the last three complete cycles of vegetation, at least once, to official testing for at least Tomato ringspot virus, Black raspberry latent virus, Cherry leaf roll virus and Prunus necrotic ringspot virus and has been found free, in these tests, from those harmful organisms	
<i>Zea mays</i>	Third countries	Annex IV A I, 52. (a) <b>or</b> Annex IV A I, 52. (b)	<b>(a)</b> The seeds originate in areas known to be free from <i>Erwinia stewartii</i> <b>or</b> <b>(b)</b> A representative sample of the seeds has been tested and found free from <i>Erwinia stewartii</i> in this test.	

**In case of treatment, this has to be specified in the rubric "disinfestation".**



**GRAIN**

genus	origin	citation of EU-Directive 2000/29/EG	text of the citation of EU-Directive 2000/29/EG	notes
<i>Secale, Triticum</i> and <i>x Triticosecale</i>	Afghanistan, India, Iran, Iraq, Mexico, Nepal, Pakistan, South Africa and the USA	Annex Annex IV A I, 54. (i) <b>or</b> Annex Annex IV A I, 54. (ii)	<b>(i)</b> The grain originate in an area where <i>Tilletia indica</i> is known not to occur. The name of the area or areas shall mentioned on the phytosanitary certificate under the rubric "place of origin" <b>or</b> <b>(ii)</b> No symptoms of <i>Tilletia indica</i> have been observed on the plants at the place of production during their last complete cycle of vegetation and representative samples on the grain have been taken both at the time of harvest and before shipment and have been tested and found free from <i>Tilletia indica</i> ; the latter shall be mentioned on phytosanitary certificate in the rubric "name of produce" as "tested and found free from <i>Tilletia indica</i> ".	



WARE POTATOES

genus / species	origin	citation of EU-Directive 2000/29/EG	text of the citation of EU-Directive 2000/29/EG	notes
tubers of <i>Solanum tuberosum</i>	Egypt, Algeria, Israel, Libya, Morocco, Syria, Tunisia, Turkey and Bulgaria	Annex IV A I, 25.2. (a) <b>or</b> Annex IV A I, 25.2. (b) <b>AND</b> Annex IV A I, 25.4.2. (a) <b>or</b> Annex IV A I, 25.4.2. (b)	<b>(a)</b> The tubers originate in countries known to be free from <i>Clavibacter michiganensis</i> ssp. <i>sepedonicus</i> <b>or</b> <b>(b)</b> Provisions recognised as equivalent to the Community provisions on combating <i>Clavibacter michiganensis</i> ssp. <i>sepedonicus</i> have been complied with, in the country of origin. <b>AND</b> <b>(a)</b> the tubers originate in a country where <i>Scrobipalopsis solanivora</i> is not known to occur; <b>or</b> <b>(b)</b> the tubers originate in an area free from <i>Scrobipalopsis solanivora</i> , established by the national plant protection organisation in accordance with relevant International Standards for Phytosanitary Measures.	
tubers of <i>Solanum tuberosum</i>	countries where <i>Synchytrium endobioticum</i> is known to occur	Annex IV A I, 25.1. (a) <b>or</b> Annex IV A I, 25.1. (b)	<b>(a)</b> The tubers originate in areas known to be free from <i>Synchytrium endobioticum</i> (all races other than Race 1, the common European race) and no symptoms of <i>Synchytrium endobioticum</i> have been observed either at the place of production or in its immediate vicinity since the beginning of an adequate period <b>or</b> <b>(b)</b> Provisions recognised as equivalent to the Community provisions on combating <i>Synchytrium endobioticum</i> have been complied with, in the country of origin.	without prejudice to the prohibitions

In case of treatment, this has to be specified in the rubric "disinfestation".